

DEPARTMENT OF TRANSPORTATION

DIVISION OF ENGINEERING SERVICES

OFFICE ENGINEER

1727 30th Street MS-43

P.O. BOX 168041

SACRAMENTO, CA 95816-8041

FAX (916) 227-6214

TTY 711



*Flex your power!
Be energy efficient!*

April 18, 2011

10-SJ-4-4.4

10-0U6004

Project ID 1000000353

Addendum No. 1

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN SAN JOAQUIN COUNTY NEAR HOLT AT MIDDLE RIVER BRIDGE.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Wednesday, April 27, 2011.

This addendum is being issued to revise the Notice to Bidders and Special Provisions.

In the Special Provisions, Section 10-1.20, "CLEAN AND PAINT EXISTING STRUCTURAL STEEL," subsection "PAINTING," item number 3 is revised as follows:

"3. After the total dry film thickness of undercoats has been applied, metal surfaces shall receive the following finish coats in the order listed:

- 3.1. The first finish coat paint conforming to the requirements for Formula for PWB 161A non-leafing aluminum finish coat paint, shall be applied in one or more applications to a dry film thickness of not less than 1.5 mils nor more than 3 mils.
- 3.2. The second finish coat paint conforming to the requirements for Formula for PWB 162A leafing aluminum finish coat paint shall be applied in one or more applications to a dry film thickness of not less than 1.5 mils nor more than 3 mils."

Addendum No. 1
Page 2
April 18, 2011

10-SJ-4-4.4
10-0U6004
Project ID 1000000353

To Bid book holders:

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the Notice to Bidders section of the Notice to Bidders and Special Provisions.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the Bid book.

Submit bids in the Bid book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

This addendum is available for the Contractors' download on the Web site:

http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/10/10-0U6004

If you are not a Bid book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,



REBECCA D. HARNAGEL
Chief, Office of Plans, Specifications & Estimates
Office Engineer
Division of Engineering Services